

THE ONLY DIGITAL MAILING SYSTEM IN THE MARKETPLACE THAT VERTICALLY WEIGHS AND PROCESSES MAIL – WITHOUT PRESORTING – SO LARGE, BULKY PACKAGES WON'T SLOW YOU DOWN.

FROM POSTCARDS TO LETTERS, EVEN FLATS AND PARCELS – THE centormail™
CAN PROCESS ALL OF YOUR MAIL REGARDLESS OF FORMAT.

The centormail™ exclusive vertical transport design handles catalogs and other bulky mailings with ease. It offers the widest pass-through in the industry – nearly 1" – so oversized mail and #10 envelopes are processed with the same efficiency. And the modular design of the centormail™ system means that, as your business grows, centormail™ will be up to the challenge. Choose from a number of optional components that will increase productivity and save money. From postcards to bulky boxes; whatever your postage needs, centormail™ can handle each and every task.





KEY ADVANTAGES

HANDLES PACKAGES AS QUICKLY AS YOU CAN STACK THEM

The exclusive vertical feeder handles all your mail – up to 140 letters per minute! It's perfect for large and bulky mailings up to nearly one inch thick. And, the vertical envelope transport draws from a stack and meters letters in every format – from standard postcard to 10"x14" letter sizes.

EASY TO USE, HARD TO HEAR

A clearly designed backlit user interface and intuitive soft key operation guides the user quickly and confidently through all machine functions and registers. View all relevant settings on one screen: from the calculated postage to a graphic depiction of the selected advertising slogan to remaining available postage. Letters glide past the print head with minimal contact for whisper-quiet operation. It's engineered to work quietly, which allows you to set up the system anywhere in your office without disturbing co-workers.

INTERFACE TO ACCOUNTING AND SHIPPING SOFTWARE

Unlimited cost accounting reporting capabilities to conveniently manage and evaluate postage used to generate reports.

EVERYTHING YOU NEED TO WEIGH AND RATE YOUR MAIL

The integrated scale calculates postage rates for larger pieces. It weighs the letter, calculates, and displays the correct postage. For oversized packages, print the meter on an adhesive label delivered by the integrated label dispenser.

RELOADING POSTAGE IS FAST AND EASY

The entire postage reloading process runs automatically with the touch of a button. The integrated modem instantly downloads postage funds through FP's telesetTM data center.

ENHANCES YOUR COMPANY'S IMAGE

Custom messages and graphics let you add greater personalization. In addition to printing a company logo or advertisement (memory for up to 15 images), centormail can also print a short, tailored message on the envelope – up to 5 lines, over 30 characters per line.











SPECIFICATIONS

The base version of this modular system includes the **centormail**^{\mathbb{M}} mailing system, a manual positioner, and a letter catch tray.

centormail™ SPECIFICATIONS

Speed Up to 140 letters per minute
Media Size 3" x 5" to 10" x 14"
Paper Thickness Up to 0.8"
Print Technology HP Inkjet Technology
Imprints per Cartridge Set Up to 25,000 w/o Ads
Up to 126,000 with HP Bulk Ink Delivery System

IBIP Compliant

Yes
SBP Compliant

Yes

User Interface Backlit LCD Display with Softkeys Label Dispenser Yes

Postage Scale Integrated 10 lb. external up to 150 lbs.

Department Accounts up to 300
Account Security Master/User Cards

Advertisement Memory 15 Custom Ads

Names for Accounts/Ads Alpha-Numeric, User-Defined Postage Endorsements 8 Standard

SMS-Text Messages 8 User-Defined
Programmable Jobs 20 User-Defined

Dimensions 45.9"w x 21.3"d x 13.4"h (basic unit)

Weight 44.8 lbs.
Power 115 V, 60 Hz, 1.0 A, 115 W

Noise Emission Up to 67 dB

OPTIONAL COMPONENT SPECIFICATIONS

AUTOMATIC ENVELOPE FEEDER

Dimensions 21.7"w x 12.4"d x 11.4"h

Weight 27.5 lbs.

Letter Capacity 110 Standard, 280 with Extended Deck

Continuous Feed Yes

Power 115 V, 60 Hz, 0.5 A, 70 W

IN-LINE DYNAMIC SCALE

Speed Up to 60 Letters per Minute
Dimensions 21.7"w x 12.4"d x 13.4"h
Weight 29.5 lbs.
Weighing Capacity 2 lbs.
Power 115 V, 60 Hz, 1.0 A, 35 W

ENVELOPE MOISTENER/POWER SEAL

Speed Up to 140 letters per minute Dimensions 16.1"w x 12.4"d x 13.4"h Weight 22.5 lbs. Recommended Fluid sealit™ Power 115 V, 60 Hz, 1.0 A, 40 W



Vertical Feeding



Convenient Storage



Integrated Scale



HP Bulk Ink Delivery





